

Certificate of Analysis

Batch#: TB-0111523-0124

Batch Date: 03/02/23

Sample Size Received: 50 gram

Retail Product Size: 13 gram

Ordered : 01/10/24

Sampled : 01/10/24

Completed: 01/25/24

PASSED

Page 1 of 3

Jan 25, 2024 | Khoor

2740 SW Martin Downs Blvd, #64
Palm City, FL, 34990, US




PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
NOT TESTED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filth
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Potency

PASSED




Total THC
0.0643%



Total CBD
2.7141%



Total Cannabinoids
3.2635%



Analyzed by:
2657

Weight:
0.2033g

Extraction date:
01/19/24 14:47:01

Extracted by:
2657

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCa: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Instrument Used : E-SHI-008
Running on : N/A

Reviewed On : 01/22/24 11:37:24
Batch Date : 01/19/24 14:28:42

Dilution : N/A
Reagent : 083023.02; 100422.02; 112823.R01; 011824.R09; 110223.05; 111723.03
Consumables : 302110210; 22/04/01; 251760; 260148; 230105059D; 1008702218; 947.100; GD220011; 6121219; 600185; P250.100
Pipette : E-VWR-119; E-VWR-120; E-VWR-121

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

PASSED

Certificate of Analysis

Khoor

2740 SW Martin Downs Blvd, #64
Palm City, FL, 34990, US
Telephone: (855) 331-4563
Email: info@khoor.com

Batch# : TB-0111523-0124
Sampled : 01/10/24
Ordered : 01/10/24

Sample Size Received : 50 gram
Completed : 01/25/24 Expires: 01/25/25

Page 2 of 3



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.1	PASS	ND	PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND
ACEPHATE	0.008	ppm	0.1	PASS	ND	PRALLETHRIN	0.008	ppm	0.1	PASS	ND
ACEQUINOXYL	0.038	ppm	0.1	PASS	ND	PROPICONAZOLE	0.007	ppm	0.1	PASS	ND
ACETAMIPRID	0.009	ppm	0.1	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRETHRINS	0.002	ppm	0.5	PASS	ND
AZOXYSTROBIN	0.013	ppm	0.1	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	0.1	PASS	ND	SPINETORAM	0.004	ppm	0.2	PASS	ND
BIFENTHRIN	0.047	ppm	0.1	PASS	ND	SPIROMESIFEN	0.009	ppm	0.1	PASS	ND
BOSCALID	0.007	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.009	ppm	0.1	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.009	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	3	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	1	PASS	ND	THIAMETHOXAM	0.009	ppm	0.5	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TOTAL SPINOSAD	0.009	ppm	0.1	PASS	ND
CLOFENTEZINE	0.006	ppm	0.2	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	0.1	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND						
CYPERMETHRIN	0.01	ppm	1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DAMINOZIDE	0.006	ppm	0.1	PASS	ND	2803, 3050	1.0009g	01/25/24 08:49:11	2803		
DIAZANON	0.006	ppm	0.1	PASS	ND						
DICHLORVOS	0.014	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.TN, SOP.T.40.101.TN			Reviewed On :	01/25/24 17:10:06
DIMETHOATE	0.009	ppm	0.1	PASS	ND	Analytical Batch :	KN004479PES			Batch Date :	01/25/24 08:44:25
DIMETHOMORPH	0.009	ppm	0.2	PASS	ND	Instrument Used :	E-SHI-125				
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND	Running on :	N/A				
ETOFENPROX	0.009	ppm	0.1	PASS	ND	Dilution :	N/A				
ETOXAZOLE	0.007	ppm	0.1	PASS	ND	Reagent :	121323.R03; 120623.R04; 120623.R03; 011024.R10; 011024.R01; 011024.R02; 011024.R03; 011024.R04; 011024.R05; 011024.R06; 011024.R07; 011024.R08; 011024.R09; 110623.R01; 011224.R14; 010224.R01; 102323.R25				
FENHEXAMID	0.005	ppm	0.1	PASS	ND	Consumables :	302110210; K130252; 22/04/01; 21332M0; 3254282; 89291.100; 01422036; 251760; 260148; 230713634D; 1008702218; 947.100; GD220011; 1350331; 600185; 230315; 1260416				
FENOXYCARB	0.007	ppm	0.1	PASS	ND	Pipette :	E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119; E-LAB-123				
FENPYROXIMATE	0.006	ppm	0.1	PASS	ND						
FIPRONIL	0.008	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry.					
FLONICAMID	0.014	ppm	0.1	PASS	ND	*Based on FL action limits.					
FLUDIOXONIL	0.011	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.009	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.009	ppm	0.2	PASS	ND						
METALAXYL	0.008	ppm	0.1	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	0.007	PASS	ND						
NALED	0.023	ppm	0.25	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	0.1	PASS	ND						
PHOSMET	0.009	ppm	0.1	PASS	ND						



Certificate of Analysis

PASSED

Khoor

2740 SW Martin Downs Blvd, #64
Palm City, FL, 34990, US
Telephone: (855) 331-4563
Email: info@khour.com

Batch# : TB-0111523-0124
Sampled : 01/10/24
Ordered : 01/10/24

Sample Size Received : 50 gram
Completed : 01/25/24 Expires: 01/25/25

Page 3 of 3

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Analyzed by: 2837 Weight: 1.0059g Extraction date: 01/19/24 11:29:18 Extracted by: 2837
 Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU
 Analytical Batch : KN004461MIC Reviewed On : 01/22/24 11:38:05
 Instrument Used : E-HEW-069 Batch Date : 01/19/24 11:16:02
 Running on : N/A

Analyzed by: 2803 Weight: 1.0009g Extraction date: 01/25/24 08:49:11 Extracted by: 2803
 Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN
 Analytical Batch : KN004480MYC Reviewed On : 01/25/24 09:48:46
 Instrument Used : E-SHI-125 Batch Date : 01/25/24 08:54:00
 Running on : N/A

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Dilution : N/A
 Reagent : 121323.R03; 120623.R04; 120623.R03; 011024.R10; 011024.R01; 011024.R02; 011024.R03; 011024.R04; 011024.R05; 011024.R06; 011024.R07; 011024.R08; 011024.R09; 110623.R01; 011224.R14; 010224.R01; 102323.R25
 Consumables : 302110210; K130252j; 22/04/01; 21332MO; 3254282; B9291.100; 01422036; 251760; 260148; 230713634D; 1008702218; 947.100; GD220011; 1350331; 600185; 230315; 1260416
 Pipette : E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119; E-LAB-123

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.

	Filtration/Foreign Material	PASSED
--	------------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	1	%	ND	PASS	5

Analyzed by: 2837 Weight: 0.5011g Extraction date: 01/22/24 10:01:31 Extracted by: 2837
 Analysis Method : SOP.T.40.090
 Analytical Batch : KN004466FIL Reviewed On : 01/22/24 10:01:52
 Instrument Used : E-AMS-138 Batch Date : 01/22/24 10:00:56
 Running on : N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is used for inspection.